PERFORMANCE WORLD

12.12.23



NEW PRODUCT SUPPLEMENT FOR THE 2023 CATALOG

2023 Catalog Changes, Corrections & Addendums
Page 33 - 2197 & 2198 will be changing from 3/8"NPT inlet to 3/8" tube inlet. (Running change)
Page 44 - 643306 & 643310 Mopar Fuel Pumps will not be produced. Discontinued.
Page 55 - 96412 is 60mm OD and there is no mounting bracket available.
Page 55 - 96610 is discontinued and stock has now depleted.
Page 56 - 96415 & 96415B fit 96108, 96110, 96208 & 96210 filters only.
Page 57 - 649410 is now 649410A (Redesigned sump). Same Capacity.
Page 61 - 395855063BB turbine outlet flange should read (Use Vibrant #1415 & 1415C)
Page 83 - 435037505700 & 435337505700 bobweights are now 1750g-1770g
Page 88 - 64180R is discontinued and stock has now depleted.
Page 88 - 65195A-2 & 65210A-2 are no longer supplied with pushrod guide plates.
Page 104 - 361003 also fits Ford 351C & 351M/400 engines.
Page 106 - The LS Valley Covers should also note "Not for use with DOD or AFM"
Page 110 - The 364040 does not use the 5001BK as stated in the catalog. See website.
Page 119 - The 5001BK does not fit the 364040 as stated in the catalog. See website.
Page 125/126 - PW348-SFI, 362346, 362347 & 362348HD are for "dished" flexplate applications.
Page 127 - 6001BK now comes with a 65,000V coil with a SuperCap design. (Same as 6001SC)
Page 135 - 680200 is discontinued and stock has now depleted.
Page 136 - 689201 Fits 689-Series distributors and also 688000/688000BK distributors.
Page 141 - 420020 does NOT fit 1968-1979 Chevrolet Novas as stated.
Page 192 - Tubular control arms have greasable Delrin Bushings - not polyurethane as listed.
Page 192 - 847670 & 847672 do not come with end links as stated.
Page 192 - 847670 & 847672 lower the ride height approximately 1.5"-2" and enable additional caster for handling.
Page 193 - 820017 ID should read 124.9mm and 820034 ID should read 142mm
Page 230 - 485000 is discontinued and stock has now depleted.
Page 239 - PW62448 is discontinued and no longer available.
Page 264 - LS Flexplate tech has been updated - See website

IN-TANK EFI FUEL TRANSFER TUBES

- Use for custom in-tank fuel pump mounting or replacement
- E85 compatible
- Corrugated flexible nylon
- Multiple sizes

E85 FLEXFUEL

NEW PRODUCT

Fuel Tubes Part Number	INLET ID	OUTLET ID	LENGTH
649510	8mm	8mm	136mm
649520	8mm	8mm	225mm
649530	10mm	10mm	180mm
649540	10mm	10mm	220mm
649550	10mm	8mm	120mm

FUEL FILTER BRACKETS

- Fits any 1.50" or 38mm OD filter
- Black 6061-T6 aluminum
- Fits 95106, 95108, 95138, 95206, 95208 & 95238 filters
- Sold each

IN STOCK!

NEW PRODUCT

Filter not included
Shown using 2
Sold each

Billet Fuel Filter Mount Bracket Part Number	FINISH
96414B	Black

CAST ALUMINUM TALL LS VALVE COVERS

- Polished or Black
- Thread-on oil cap
- Hardware & o-rings included
- For LS2/3/4/7/9 coils (PW#4265-8)

IN STOCK!

Valve Covers Part Number	APPLICATION	FINISH
366143	LS Chevrolet w/Coil Mounts	Polished
366143BK	LS Chevrolet w/Coil Mounts	Black

MUSCLE TANKS

- High quality super soft cotton blend
- Front upper chest & full back print

IN STOCK!

Muscle Tanks Part Number	DESCRIPTION	SIZE
PW001M	Reaper "Hurting Feelings Since 1994"	Medium
PW001L	Reaper "Hurting Feelings Since 1994"	Large
PW001XL	Reaper "Hurting Feelings Since 1994"	XLarge

SCREW IN ROCKER STUDS

IN STOCK!

- Manufactured by ARP
- Standard equipment on all BBC assembled PW heads

Rocker Studs Part Number	THREAD UPPER/LOWER	THREAD DEPTH	STUD O.A.L.	PKG. QTY.
360372	7/16"-20 7/16"-14	1.30/0.82"	3.30/2.82"	Set/16

BLACK OXIDE HEADER BOLTS

- Extra long for thick header flanges
- Small 12-point hex head for tight spaces
- Black oxide finish

IN STOCK!

Header Bolts Part Number	FITS APPLICATION	THREAD SIZE	U.H.L. SIZE	BOLT HEAD	NOTES	PKG. QTY.
488212	SB Chevy	3/8"-16	1"	12-point	Black Oxide	12
488312	SB Ford/BB Chevy	3/8"-16	1"	12-point	Black Oxide	16

1000CFM THROTTLE BODY

IN STOCK!

- Cast & machined body
- 1.75" throttle blades
- Progressive linkage
- Includes GM style IAC, TPS and 1-bar MAP sensor
- Standard 4-barrel mounting pattern

Throttle Body Part Number	APPLICATION	FINISH
646700	*Universal*	*Natural*

EFI FUEL LINE ADAPTER

IN STOCK!

- Fits PW 392939, 393939, 394939 & 396939 pumps
- Also fits Walbro GSL Series pumps
- For OE GM EFI Lines (LT1, LT4 and LS Series)
- Includes aluminum gasket

EFI Fittings Part Number	EFI HARD TUBE	THREAD SIZE	COLOR
642810	*3/8" Male*	*M10x1.0*	*Black*

FABRICATED INTAKE MANIFOLD ACCESSORIES

IN STOCK!

- Throttle body O-ring
- Replacement for Flow EFI fabricated intake manifolds

Flow EFI Accessories Part Number	DESCRIPTION	FITS	COLOR
646141	*Replacement Manifold O-Ring*	*92/102mm*	*Black*

CUSTOM LASER ETCHED SUPERGATE CAP

IN STOCK!

- Cap fits 88145, 88150 & 88160 PW SuperGate Wastegates
- Price includes cap and custom laser etched logo (Your design!)
- Supply artwork, text, picture or idea!

WG Accessories Part Number	DESCRIPTION
88000-CUSTOM	*Custom Laser Etched Wastegate Cap*

BILLET ALUMINUM LS COIL MOUNTS

- Anodized billet aluminum
- Works with LS1/LS6 ignition coils
- Fits PW 366142 & stock OE valve covers
- Includes stainless button head bolts
- Sold as a pair

IN STOCK!



NEW PRODUCT

Coil Brackets Part Number	APPLICATION	FINISH
366140	Chevrolet LS	Silver

1967-1972 CHEVROLET GM C10 STAINLESS STEEL TILT/AUTOMATIC STEERING COLUMNS

IN STOCK!

- Direct replacement
- Five position tilt
- Raw, black or chrome plated
- GM wiring plug

NEW PRODUCT

Steering Columns Part Number	FITS VEHICLE	FINISH
845567	GM C10 Automatic w/o key	Raw
845567BK	GM C10 Automatic w/o key	Black
845567C	GM C10 Automatic w/o key	Chrome

BULLET NOSED CARBURETOR STUDS

IN STOCK!

- 1.50" length with nuts and washers

NEW PRODUCT

Carb Studs Part Number	APPLICATION	FINISH
488150	Universal	Black Oxide

HYDRAULIC ROLLER LIFTERS

IN STOCK!

- High quality manufactured by Gaterman LLC
- Chrome alloy steel forged body for high strength
- Carburized and hardened alloy steel body
- Precision machined and heat treated internal components
- Check-ball metering for precise control and quiet operation
- 100% select-fit components for precise leakdown rate
- 100% flow checked billet steel pushrod socket for precise oil metering
- Hardened/tempered certified 52100 steel bearing assembly

NEW PRODUCT

Hydraulic Roller Lifters Part Number	APPLICATION	SOLD AS
361004	BB Ford FE & Ford 429/460 Retro-Fit	Set/16

Manufactured by...
Gaterman Products LLC

POWERGRIP SHRINK CLAMPS

- Resistant to all automotive fluids
- Easy installation with your heat gun
- Rated for -40°F to 302°F
- No clamps needed
- Multiple sizes
- Installation instructions on our website

IN STOCK!

Powergrip Clamps Part Number	NOM. HOSE ID	SIZE RANGE	PKG. QTY.
124019	3/8"	11/16" - 13/16"	1
124022	1/2"	13/16" - 15/16"	1
124025	5/8"	15/16" - 1-1/16"	1
124029	3/4"	1-1/16" - 1-3/16"	1
124041	1-1/4"	1-1/2" - 1-3/4"	1
124048	1-1/2"	1-3/4" - 2"	1
124054	1-3/4"	2" - 2-1/4"	1

RAPID-FIRE™ PERFORMANCE IGNITION COILS

- Up to 15% more spark energy!
- Quicker starts
- Smoother idle
- Improved response

RAPID-FIRE™ ⚠ HIGH VOLTAGE ⚠

NEW PRODUCT

IN STOCK!

Ignition Coils Part Number	APPLICATION	NOTES	PKG. QTY.
4262-8	1998-2006 Chevrolet LS1/LS6		8

PW9 FORD 9 INCH AXLE MEASURING TOOL



NEW PRODUCT

- Easily find pinion center for custom differentials
- Easily calculate correct axle lengths
- Laser cut from 3/16" aluminum

IN STOCK!

Axle Tool Part Number	APPLICATION	QTY.
846001	All Ford 9"	1

TXL AUTOMOTIVE WIRE

TXL wire is ideal for engine compartments that need high heat protection but require minimal space and weight. TXL wire is designed with a thin wall of chemically cross-linked, polyethylene insulation. This insulation keeps the wire flexible and light while also allowing it to withstand prolonged temperatures of up to 125°C (257°F) without melting or fusing. TXL wire is also resistant to moisture and automotive oils and fuels.

- High quality, thin wall and lightweight
- Packaged in convenient 20' lengths
- Temperature Rating: -40°C to 125°C (-40°F to 257°F).
- Voltage Rating: 60VDC
- Meets or exceeds SAE specification J1128, Ford ESB-M1L123-A, & Chrysler MS-8288.

TXL Wire Part Number	GAUGE	WIRE OD	COLOR	LENGTH
328001	10ga	.150"	Red	20'
328005	10ga	.150"	Black	20'
328101	12ga	.125"	Red	20'
328105	12ga	.125"	Black	20'
328201	14ga	.100"	Red	20'
328205	14ga	.100"	Black	20'
3283**	16ga	.085"	See Color Chart	20'
3284**	18ga	.075"	See Color Chart	20'
3285**	20ga	.070"	See Color Chart	20'
3286**	22ga	.060"	See Color Chart	20'

*** For color options, substitute (**) with digits below:**

01 = Red
02 = White
03 = Dark Blue
04 = Dark Green
05 = Black
06 = Yellow
07 = Brown
08 = Gray
09 = Purple
10 = Orange
11 = Pink
12 = Tan
13 = Light Green
14 = Light Blue

IN STOCK!

NEW PRODUCT

Wire Gauge vs. Length Chart

AMPS	3'	5'	7'	10'	15'	20'	25'
0-5	18	18	18	18	18	18	18
6	18	18	18	18	18	18	18
7	18	18	18	18	18	18	18
8	18	18	18	18	18	16	16
10	18	18	18	18	16	16	16
11	18	18	18	18	16	16	14
12	18	18	18	18	16	16	14
15	18	18	18	18	14	14	12
18	18	18	16	16	14	14	12
20	18	18	16	16	14	12	10
22	18	18	16	16	12	12	10
24	18	18	16	16	12	12	10
30	18	16	16	14	10	10	10
40	18	16	14	12	10	10	8
50	16	14	12	12	10	10	8
100	12	12	10	10	6	6	4
150	10	10	8	8	4	4	2
200	10	8	8	6	4	4	2

TURBO ALUMINUM LS TIMING COVERS

- OE specification
- Includes two (2) 10AN oil drain back fittings
- Great for custom turbo installations
- Available for Gen III and Gen IV LS engines



Timing Covers Part Number	APPLICATION	FINISH
362001	Gen III Chevrolet LS (no cam sensor)	Raw
362002	Gen IV Chevrolet LS (cam sensor)	Raw

LS FUEL PRESSURE REGULATOR/FILTER



- Designed after the Corvette design
- To be mounted at the rear of vehicle
- One (1) inlet, one (1) outlet and one (1) return
- Easy and economical LS engine swap component
- 58PSI

Regulator/Filter Part Number	APPLICATION	FINISH
644350	Filter/Regulator with OE connections	Raw
644350AN	Filter/Regulator with 6AN fittings	Raw

POWER STEERING RETURN FITTING

- Fits Saginaw pumps with 3/8" tube return
- Also fits any 3/8" low pressure tube with bulb end
- Seals as it tightens with internal o-ring

P/S Fitting Part Number	HARD TUBE	AN THREAD	COLOR
9200906	3/8" Male	6AN	Black

4340 FORGED STEEL STROKER CRANKSHAFTS

- SAE 4340 forged steel
- .125" radius for greater strength
- Street and competition

IN STOCK!



Internally Balanced

Crankshafts Part Number	FITS	STROKE	MIN ROD LENGTH	BOB WEIGHT	CRANK WEIGHT
423134005967	Buick V6	3.40"	5.967"	880g	45
434636226100	Chevy LS1[1,2]	3.622"	6.10"	1800g	54
435140006200	Ford 351W[3]	4.00"	6.20"	1900g	61
435240006200	Ford 351W[4]	4.00"	6.20"	1900g	61
446043002200	Ford 460[5]	4.30"	6.70"	2350g	84

[1] Chevrolet LS crankshafts are sold without reluctor wheel. (24 Tooth 12559353) (58 Tooth 12586768) Available at your GM Dealer.
[2] 6-bolt short flange design. Use with standard "dished" LS flexplates.
[3] 3.00" mains
[4] 2.75" Cleveland mains
[5] 2.20" rod journal

STAINLESS STEEL U-JOINTS

- Needle bearing
- Single joint style
- Precision machined T304 stainless steel

IN STOCK!



U-Joints Part Number	BOX/SHAFT COLUMN	BOX/SHAFT COLUMN	MATERIAL
845003	3/4" Round	3/4" DD	304SS
845004	3/4" Round	3/4" Round	304SS
845005	3/4" Round	1" DD	304SS
845011	3/4"-30	1" DD	304SS
845026	1"-48	1" DD	304SS
845027	3/4"-36	3/4"-36	304SS
845028	11/16"-36	3/4" DD	304SS
845029	3/4"-V	3/4" DD	304SS

DOUBLE U-JOINTS & RAG JOINTS

Double Joints
- Needle bearing
- Precision machined T304 stainless steel

Rag Joints
- OE Style

IN STOCK!

Double-Joints Part Number	BOX/SHAFT COLUMN	BOX/SHAFT COLUMN	MATERIAL
845031	3/4" DD	3/4" DD	304SS
845032	3/4" DD	1" DD	304SS
845036	3/4"-36	3/4" DD	304SS

Rag Joints Part Number	BOX/SHAFT COLUMN	BOX/SHAFT COLUMN
845045	3/4"-36	3/4" DD
845047	3/4"-36	3/4"-36

DUAL PLANE ALUMINUM INTAKE MANIFOLDS

- Dual plane street engine design
- Great quality and value priced!

IN STOCK!



Intake Manifolds Part Number	FITS	HEIGHT FR / RR	RPM RANGE	FINISH
650003	SB Ford 351W	4.50"/6.0"	1,500-6,500	Satin

AIRFLOW DUAL PLANE ALUMINUM INTAKE MANIFOLDS

- Street or strip!
- Airflow design allows for cooler intake charge = more power!
- Great quality and value priced!

Intake Manifolds Part Number	FITS	HEIGHT FR / RR	RPM RANGE	FINISH
650106	SB Mopar & Magnum	5.125"/5.625"	1,500-6,800	Satin

UNIVERSAL SPIRAL CORE IGNITION WIRES

- 8.5mm high-temp silicone jacket
- .080" spiral wound core for maximum spark transfer
- Includes boots and terminals for socket or HEI distributors
- Universal 8 cylinder (8 plug wire and 1 coil wire)
- Available in Black, Red or Blue
- 500 ohms/ft.

Ignition Wire Sets Part Number	SPARK PLUG BOOT TYPE	UNIVERSAL KIT FITS	COLOR
691090	90°	8 Cylinder	Black
691135	135°	8 Cylinder	Black
691180	180°	8 Cylinder	Black
692090	90°	8 Cylinder	Red
692135	135°	8 Cylinder	Red
692180	180°	8 Cylinder	Red
696090	90°	8 Cylinder	Blue
696135	135°	8 Cylinder	Blue
696180	180°	8 Cylinder	Blue

DRY QUICK DISCONNECTS

- Disconnect without loss of fluids
- Use for fuel, oil, coolant, transmission or brake[1]
- No special tools required

IN STOCK!

Quick Disconnect Part Number	IN/OUT	MAX PRESSURE	COLOR
550003[1]	3AN Male	3,000psi	Black
550004[1]	4AN Male	3,000psi	Black
550006	6AN Male	1,250psi	Black
550008	8AN Male	1,250psi	Black

[1]Brake systems ONLY (3AN/4AN Marked with "B")

FLOW EFI LOW PROFILE

PRO BILLET LS MODULAR BILLET ALUMINUM INTAKE MANIFOLDS

- CNC billet aluminum construction
- Will withstand up to 100psi boost!
- Low profile - will fit in most applications
- Black or Silver anodized
- Includes intake bolts[1], fuel rails, fittings, line, hardware & intake seals
- Use 102mm bore throttle body
- Accepts narrow body fuel injectors
- Perfect choice for boosted applications

Flow EFI Intakes Part Number	FITS	HEIGHT FR / RR	T/B SIZE	FINISH
646401	LS1/LS2/LS6	6.5"	102mm	Silver
646403	LS3	6.5"	102mm	Silver
646411	LS1/LS2/LS6	6.5"	102mm	Black
646413	LS3	6.5"	102mm	Black

LS1/LS2/LS6 intakes use EV1 2.55" injectors. LS3 intakes use EV6 1.48" injectors.
Map Sensor Bung (LSA/LS9 style) at rear of intake. Use GM#12592525

Fuel rail threads = 8AN ORB
Fuel rail fittings/line = 8AN
Fittings/line also available separately

PERFORMANCE MUFFLERS

- Two styles to choose from
- 16ga. mild steel or 16ga. 409 stainless steel
- Quality mufflers at a budget price!

Mufflers Part Number	STYLE	INLET/ OUTLET	CASE SIZE	OVERALL LENGTH	IN/OUT LOCATION	REVERSIBLE	MATERIAL & FINISH
482441	Chambered	2.25"	4"x9.5"x13"	19"	Offset/Center	No	Mild Steel/Silver
482443	Chambered	2.25"	4"x9.5"x13"	19"	Offset/Offset	No	Mild Steel/Silver
482540	Chambered	2.50"	4"x9.5"x13"	19"	Center/Center	No	Mild Steel/Silver
482541	Chambered	2.50"	4"x9.5"x13"	19"	Offset/Center	No	Mild Steel/Silver
482543	Chambered	2.50"	4"x9.5"x13"	19"	Offset/Offset	No	Mild Steel/Silver
483041	Chambered	3.00"	4"x9.5"x13"	19"	Offset/Center	No	Mild Steel/Silver
483043	Chambered	3.00"	4"x9.5"x13"	19"	Offset/Offset	No	Mild Steel/Silver
491216	Glass-Filled/Baffle	2.50"	4"x9.25"x14"	20"	Center/Center	Yes	409 Stainless/Raw
491219	Glass-Filled/Baffle	3.00"	4"x9.25"x14"	20"	Center/Center	Yes	409 Stainless/Raw
491224	Glass-Filled/Baffle	2.00"	4"x9.25"x14"	20"	Offset/Center	Yes	409 Stainless/Raw
491225	Glass-Filled/Baffle	2.25"	4"x9.25"x14"	20"	Offset/Center	Yes	409 Stainless/Raw
491226	Glass-Filled/Baffle	2.50"	4"x9.25"x14"	20"	Offset/Center	Yes	409 Stainless/Raw
491229	Glass-Filled/Baffle	3.00"	4"x9.25"x14"	20"	Offset/Center	Yes	409 Stainless/Raw
491236	Glass-Filled/Baffle	2.50"	4"x9.25"x14"	20"	Offset/Offset	Yes	409 Stainless/Raw
491255	Glass-Filled/Baffle	2.25"	4"x9.25"x18"	24"	Offset/Center	Yes	409 Stainless/Raw
491256	Glass-Filled/Baffle	2.50"	4"x9.25"x18"	24"	Offset/Center	Yes	409 Stainless/Raw
491259	Glass-Filled/Baffle	3.00"	4"x9.25"x18"	24"	Offset/Center	Yes	409 Stainless/Raw

STAINLESS Y-PIPES

IN STOCK!

- 409 stainless steel

Y-Pipes Part Number	INLET ID	OUTLET ID	LENGTH	OUTLET SPACING	FINISH
409250Y	1x2.50"	2x2.50"	10"	4"	Raw
409253Y	1x3.00"	2x2.50"	10"	4"	Raw
409300Y	1x3.00"	2x3.00"	10"	4"	Raw

STAINLESS MANDREL 90 DEGREE

- 304 stainless steel

90° Bends Part Number	PIPE DIAMETER	BEND RADIUS	LEG LENGTH	MATERIAL GAUGE	FINISH
430915	1.50"	2.25"	7.00"	.057" (16ga.)	Raw
430917	1.75	2.625"	7.00"	.057" (16ga.)	Raw
430920	2.00"	3.00"	6.50"	.057" (16ga.)	Raw
430922	2.25"	3.375"	8.25"	.057" (16ga.)	Raw
430925	2.50"	3.50"	8.00"	.057" (16ga.)	Raw
430930	3.00"	4.50"	9.25"	.057" (16ga.)	Raw
430935	3.50"	5.25"	11.50"	.057" (16ga.)	Raw
430940	4.00"	6.00"	12.75"	.057" (16ga.)	Raw

AN CONICAL SEALS

- Repair 37 degree AN connections easily
- Keep a few in your toolbox at the track
- Don't get caught with a leak!
- Aluminum 2/pk

Conical Seals Part Number	AN SIZE	THICKNESS	PKG. QTY.
90504	4AN	.005"	2
90506	6AN	.005"	2
90508	8AN	.010"	2
90510	10AN	.010"	2
90512	12AN	.010"	2

NOTE: Seals are EXTREMELY FRAGILE! If product is received distorted, that is ok. Just push on to the flare to be repaired and it will conform.

EXHAUST J-HOOK HANGER

- 3/8" mild steel rod

Exhaust J-Hook Part Number	ROD DIA.	ROD ANGLE	ROD LENGTH
430000	3/8"	90 Degree	10"

STRAIGHT LENGTHS OF STAINLESS TUBING

- 304 stainless steel

Stainless Tubing Part Number	PIPE OD	PIPE GA.	LENGTH
304015	1.50"	16ga. (.057")	5'
304017	1.75"	16ga. (.057")	5'
304020	2.00"	16ga. (.057")	5'
304022	2.25"	16ga. (.057")	5'
304025	2.50"	16ga. (.057")	5'
304030	3.00"	16ga. (.057")	5'
304035	3.50"	16ga. (.057")	5'
304040	4.00"	16ga. (.057")	5'

SMOOTH EDGE GEAR HOSE CLAMPS

- W4 304 Stainless Steel
- Won't cut into hose like traditional clamps
- Perfect for silicone
- 2/pk

Hose Clamps Part Number	BAND WIDTH	CLAMP RANGE	PKG. QTY.
470812	9mm	.3125"-.500"	2
471016	9mm	.375"-.625"	2
471220	9mm	.500"-.875"	2
471625	12mm	.625"-1.00"	2
472032	12mm	.750"-1.25"	2
473045	12mm	1.1875"-1.75"	2
473250	12mm	1.25"-2.00"	2
474060	12mm	1.625"-2.375"	2

PINCH CLAMPS

- W4 304 Stainless Steel
- Easy "pinch" installation
- Perfect for securing PW 3000-Series Twist-Lok hose in high temperature fluid applications
- Pinch clamp tool also available (787470)
- 5/pk

Pinch Clamps Part Number	FITS HOSE	CLAMP ID	PKG. QTY.
479119	8mm Nylon	11.9mm	5
479133	10mm Nylon	13.3mm	5
479153	4AN	15.3mm	5
479185	6AN	18.5mm	5
479210	8AN	21mm	5
479241	10AN	24.1mm	5
479286	12AN	28.6mm	5

PINCH CLAMP TOOL

- Use with our pinch clamps (and others)
- 10" long

Pinch Clamp Tool Part Number	FITS	QTY.
787470	PW 479119-479286	1

SPRING CLAMPS

- Easy installation
- Perfect for securing PW silicone vacuum and boost lines
- 10/pk

Spring Clamps Part Number	FITS HOSE	CLAMP ID	PKG. QTY.
460006	110001	6mm	10
460007	110002	7mm	10
460008	110003	8mm	10
460010	110001HD/110004	10mm	10
460011	110002HD/110003HD	11mm	10
460013	110004HD/110005	13mm	10
460014	110006	14mm	10

AN Y-DISTRIBUTION BLOCKS

- AN ORB to AN ORB
- Easily adapt to any size with our ORB fittings
- Inline style so no angle fittings needed

ORB Y-Blocks Part Number	INLET	OUTLET	SIZE H x W	COLOR
820080606	8AN ORB	2x6AN ORB	.930"x1.93"	Black
820100808	10AN ORB	2x8AN ORB	1.13"x2.25"	Black

AN TO TUBE BULKHEADS

- Perfect for in-tank fuel pump systems
- Three sizes to choose from
- Includes PTFE washers and nut

IN STOCK!

Bulkheads Part Number	INLET	OUTLET	COLOR
92156	6AN Male	5/16" Tube	Black
92166	6AN Male	3/8" Tube	Black
92168	8AN Male	3/8" Tube	Black

LS ADAPTER FITTINGS

- Fuel, oil and temperature sender adapters
- 80314 LS fuel rail take-off ([1]w/internal sealing o-ring)
- 661253 long style to accept all temp senders
- 661653 now black anodized (was silver)

IN STOCK!

Sender Adapters Part Number	INLET	OUTLET	COLOR
661253	M12x1.50	1/8" NPT	Black
661653	M16x1.50	1/8" NPT	Black
80314	4AN Female[1]	1/8" NPT	Black

LS IGNITION COIL BOOTS & TERMINALS

IN STOCK!

- Make custom ignition wires easily
- Includes 8 boots and 8 terminals

Coil Boots Part Number	BOOT TYPE	FITS	COLOR
690002	135°	LS Coil	Black
690003	180°	LS Coil	Black

SUPERBALL™ SHIFTER KNOB

- Now in black anodized!
- Billet 6061-T6 aluminum
- 2-1/4" diameter
- Includes all metric and standard adapters[1]

IN STOCK!

Shifter Knob Part Number	FITS	COLOR
840051	Universal[1]	Black

[1]3/8"-16, 1/2"-20, M10x1.25, M10x1.50, M12x1.25, M12x1.75, M16x1.50

E85 SENSOR MOUNT

- Factory sensor is too restrictive for high horsepower applications
- Ability to still read fuel gravity without restriction
- 10AN ORB inlet & outlet
- Use our ORB fittings to suit your fuel lines
- All connections double o-ringed
- Use on inlet or return fuel line
- Black anodized billet aluminum
- Integrated mount
- Compact 1.14"x1.38"x5.75"

E85 Sensor Mount Part Number	FITS	IN/OUT THREAD
649600	*GM Style Sensor[1]*	*10AN ORB*

[1]Fits 13577429, 13507129 or Continental SE1004S

NPT TO NPT MALE/FEMALE 45°/90° ADAPTERS

- New sizes

NPT to NPT Adapters Part Number	ANGLE°	NPT SIZE	NPT SIZE
91402	*90°*	*1/4" NPT*	*1/4" NPTF*
91403	*90°*	*3/8" NPT*	*3/8" NPTF*
91502	*45°*	*1/4" NPT*	*1/4" NPTF*
91503	*45°*	*3/8" NPT*	*3/8" NPTF*

NPT TO 90° SWIVEL ADAPTERS

- Allows for infinite position when using NPT threads

NPT to AN Swivel Part Number	ANGLE°	NPT SIZE	AN SIZE
922164	*90°*	*1/4" NPT*	*6AN*
922166	*90°*	*3/8" NPT*	*6AN*
922186	*90°*	*3/8" NPT*	*8AN*

INV TO 90° SWIVEL ADAPTERS

- Allows for infinite positioning
- Perfect for fuel pumps or power steering

INV to AN Swivel Part Number	ANGLE°	INV SIZE	AN SIZE
922165	*90°*	*5/8"-18INV*	*6AN*

FEMALE SAGINAW STYLE TO AN

- Aluminum
- For use with EFI/TBI fuel injection systems
- Perfect to adapt AN lines to EFI in-tank hangers

NEW PRODUCT

IN STOCK!

EFI Fittings Part Number	THREAD SIZE	AN SIZE
7401614	M14x1.5 Fem	6AN
7401616	M16x1.5 Fem	6AN

EFI FUEL LINE ADAPTERS

- For OE GM EFI Lines (LT1, LT4 and LS Series)
- Thread on retainer style

NEW PRODUCT

IN STOCK!

EFI Fittings Part Number	EFI HARD TUBE	AN SIZE	COLOR
642911	5/16" Female	6AN	Black
642912	3/8" Female	6AN	Black
642913	3/8" Female	8AN	Black

EFI INLINE FUEL PRESSURE ADAPTERS

- For easy plumbing of fuel gauge or nitrous tap
- 1/8"NPT port

IN STOCK!

NEW PRODUCT

EFI Fuel Tap Part Number	EFI INLET	EFI OUTLET	COLOR
80289	3/8" Female	3/8" Male	Black

FEMALE TO MALE AN REDUCERS

- New sizes

NEW PRODUCT

IN STOCK!

AN Reducer Part Number	"A" FEMALE	"B" MALE
8940403	4AN	3AN
8941006	10AN	6AN

SHORTY VALVE COVER/OIL BREATHERS

- Shorter versions of our 85000B & 85001B
- Cleanable stainless steel media
- 12AN female thread
- Perfect for valve cover breathers
- Polished or black anodized

NEW PRODUCT

IN STOCK!

Breathers Part Number	OVERALL SIZE	FINISH
85000S	3.00" OD x 1.625" Tall	Polished
85001S	3.00" OD x 1.625" Tall	Black

HORSESHOE BRAKE CLIPS

- OE quality
- Convenient 2/pk of bulk 10/pk

Brake Clips Part Number	DESCRIPTION	PKG. QTY.
848002	Retaining Clips	2
848010	Retaining Clips	10

12AN VALVE COVER VENT KIT

- Use with our 85000B, 85000S, 85001B or 85001S
- Includes (1) nylon & (1) aluminum washer
- Use with steel or aluminum valve covers
- 12AN vented cap with integrated o-ring
- Black anodized

Vent Kit Part Number	DESCRIPTION	SIZE
85012	12AN V/C Vent Kit	12AN

ORB TO HOSE FITTINGS

- O-ring included

ORB to Hose Part Number	ANGLE°	ORB SIZE	HOSE SIZE
7351006	STR	10AN	3/8"

MALE ORB PLUG

AN O-Ring Plugs Part Number	NOTE	PKG. QTY.	AN SIZE
81410A	with 1/8" NPTF hole	1	10AN
81410B	with 3/8" NPTF hole	1	10AN

AN INVERTED FLARE BRAKE FITTINGS

- Zinc plated steel



Inverted Flare Brake Part Number	THREAD SIZE	AN SIZE
3050338	3/8"-24 IF	3AN
3050376	7/16"-24 IF	3AN

PTFE STRAIGHT/90 ASSEMBLIES

- PTFE inner liner
- Stainless steel braided outer
- Great for fuel or oil pressure
- Sizes from 6" to 72"

PTFE Hose Part Number	END ANGLE°	AN SIZE	HOSE LENGTH
390406	STR/90°	4AN	6"
390408	STR/90°	4AN	8"
390410	STR/90°	4AN	10"
390412	STR/90°	4AN	12"
390414	STR/90°	4AN	14"
390416	STR/90°	4AN	16"
390418	STR/90°	4AN	18"
390420	STR/90°	4AN	20"
390422	STR/90°	4AN	22"
390424	STR/90°	4AN	24"
390426	STR/90°	4AN	26"
390428	STR/90°	4AN	28"
390430	STR/90°	4AN	30"
390432	STR/90°	4AN	32"
390436	STR/90°	4AN	36"
390440	STR/90°	4AN	40"
390444	STR/90°	4AN	44"
390448	STR/90°	4AN	48"
390460	STR/90°	4AN	60"
390472	STR/90°	4AN	72"

Manufactured for PW by...
GOODRIDGE

AN BRAKE FITTINGS

- Zinc plated steel

Banjo Bolts Part Number	LENGTH	THREAD SIZE
581010	24mm	M10x1.0
581015	24mm	M10x1.5
583824	24mm	3/8"-24

Banjos Part Number	ANGLE°	BANJO SIZE	AN SIZE
590001	Straight	3/8"/10mm	3AN
592001	20°	3/8"/10mm	3AN
594501	45°	3/8"/10mm	3AN
599001	90°	3/8"/10mm	3AN

SS304 CONCENTRIC REDUCERS

- 16ga. 304 stainless steel

Reducers Part Number	INLET	OUTLET	LENGTH
412025	2.00"	2.50"	2.25"
412030	2.00"	3.00"	2.25"
412530	2.50"	3.00"	2.75"
412540	2.50"	4.00"	3.00"
413040	3.00"	4.00"	3.00"

SS304 PIE CUTS

- 16ga. 304 stainless steel
- 15 degree (tight) or 9 degree (loose) radius

Pie Cuts Part Number	CUT DEGREE	PIPE OD	BEND RADIUS	PKG. QTY.
440250	15°	2.50"	2.50"	6
440300	15°	3.00"	2.75"	6
440350	15°	3.50"	3.00"	6
440400	15°	4.00"	3.25"	6
441250	9°	2.50"	3.75"	5
441300	9°	3.00"	4.50"	5
441350	9°	3.50"	5.25"	5
441400	9°	4.00"	6.00"	5

VORTEC TRUCK TO LS3 T/B ADAPTER

- Allows the use of a "gold blade" LS3 90mm T/B on Vortec Trucks
- Easily convert your small 78mm T/B to the 90mm DBW LS3
- Plug & play

T/B Adapter Part Number	APPLICATION	PKG. QTY.
324370	'03-'07 GM Truck to LS3 DBW T/B	1

4L60E TO 4L80E WIRING HARNESS ADAPTER

- Adapts 4L60E harnesses to 4L80E transmissions
- Plug & play

4L80E Adapter Part Number	APPLICATION	PKG. QTY.
324700	GM Transmissions	1

SINGLE PLANE ALUMINUM INTAKE MANIFOLDS

- Single plane street/strip design
- Fuel injector bosses for EFI
- Great quality and value priced!



Intake Manifolds Part Number	FITS	HEIGHT FR / RR	RPM RANGE	FINISH
650330	Oldsmobile 400-455	4.75"/5.875"	1,200-7,500	Satin

LS SPECIFIC SILICONE HOSE COUPLERS

111215 - Straight radiator hose adapter (1.25" to 1.50")
118125 - 45° radiator hose adapter (1.25" to 1.50")
119125 - 90° radiator hose adapter (1.25" to 1.50")

IN STOCK!

NEW PRODUCT

Reducers Part Number	STYLE	INLET I.D.	OUTLET I.D.	LENGTH	WALL THICKNESS	PSI CONT.
111215	*Straight*	*1.25"*	*1.50"*	*3"*	*4-ply 5mm*	*87*
118125	*45° Elbow*	*1.25"*	*1.50"*	*5" Leg*	*4-ply 5mm*	*58*
119125	*90° Elbow*	*1.25"*	*1.50"*	*5" Leg*	*4-ply 5mm*	*58*

LS SILICONE HEATER BYPASS HOSE

- Allow for easy heater bypass with this 180° adapter hose

Heater Bypass Part Number	STYLE	INLET I.D.	OUTLET I.D.	LENGTH	WALL THICKNESS	PSI CONT.
110009	*180°*	*.625"*	*.75"*	*4"*	*3-ply 4mm*	*102*

HARNESS EYE BOLT/NUT KIT

- Easy installation for your PW harness
- 3.24" OAL
- 2.44" OD washer
- Zinc plated

IN STOCK!

NEW PRODUCT



Eye Bolt Kit Part Number	SIZE	COLOR
270010	*7/16"-20 x 1.87" thread*	*Zinc*

HIGH VOLUME MECHANICAL FUEL PUMPS

- Carbureted - gasoline
- 110GPH to 130GPH+ fuel flow
- 7.5psi to 16psi shut-off
- 3/8"NPT or 1/2"NPT inlet/outlet
- Requires regulator
- Black coated

NEW PRODUCT

ETA 2024

Mechanical Fuel Pumps Part Number	APPLICATION	FUEL FLOW	OUTLET PRESSURE
643320BK	*SB Chevrolet*	*110GPH*	*7.5PSI*
643330BK	*BS Chevrolet*	*110GPH*	*9PSI*
643340BK	*SB Chevrolet*	*130GPH+*	*12-16PSI*

RACING SEAT OFFICE/GAMING CHAIRS

- Black Vegan Leather w/embroidered PW logo
- 4-way adjustable armrests
- Stationary or rocking base
- Adjustable back angle
- Adjustable height
- Metal base

Office Chairs Part Number	MATERIAL	STITCHING	SOLD AS
290000	*Black Vegan Leather*	*Black*	*Each*
290001	*Black Vegan Leather*	*White*	*Each*
290002	*Black Vegan Leather*	*Red*	*Each*

HEATER HOSE TAKE-OFF FITTING

- Use for sender take-off or water cooled turbo feed
- Black anodized
- 5/8" inlet/outlet
- 1/4" NPT port

IN STOCK!

Heater Hose Fitting Part Number	INLET	OUTLET	NPT SIZE
127058	*5/8"*	*5/8"*	*1/4"*

PW 3100-SERIES™ TWIST-LOK2 HOSE

E85 FLEXFUEL

- NHRA Accepted **https://www.nhraracer.com/Files/Tech/NHRAAcceptedProducts.pdf**
- For use with our 800000 series Twist-Lok™ hose fittings on page 18
- Rated at 250PSI
- E85 compatible (Meets SAE J30R9)
- Fuel, oil & water applications
- -40˚C to 150˚C

IN STOCK!

NEW PRODUCT

3100-Series™ Part Number	MAX PSI	AN SIZE	HOSE I.D.	HOSE O.D.	PKG. LENGTH
310004	250	4AN	.25"	.50"	Bulk/ft.
310006	250	6AN	.38"	.61"	Bulk/ft.
310008	250	8AN	.50"	.75"	Bulk/ft.
310010	250	10AN	.63"	.91"	Bulk/ft.
310012	250	12AN	.75"	1.04"	Bulk/ft.

T-SHIRTS

- High quality super soft cotton blend
- Front upper chest & full back print

IN STOCK!

NEW PRODUCT

T-Shirts Part Number	DESCRIPTION	SIZE
PW002S	"Make Them See Nothin' But Tail Lights"	Small
PW002M	"Make Them See Nothin' But Tail Lights"	Medium
PW002L	"Make Them See Nothin' But Tail Lights"	Large
PW002XL	"Make Them See Nothin' But Tail Lights"	XLarge
PW002XXL	"Make Them See Nothin' But Tail Lights"	XXLarge

HEAVY DUTY FENDER COVERS



- 35" x 25"
- Heavy duty - 4mm thick
- Fully stitched seam edge
- PVC foam backed to protect paint

NEW PRODUCT

ETA JAN 2024

PW Fender Cover Part Number	COLOR
790000	Black

HOUSING & AXLE PACKAGES

PW9 PERFORMANCE 9-INCH COMPONENTS

ETA APR 2024

- Bolt in ready 9" housings
- Heavy duty "Notch Back" centers
- Set up for Ford 9" "Late Torino" style brakes
- 31 spline large bearing axles (5x4-1/2" & 5x4-3/4" bolt pattern)
- Black powdercoated finish
- Killer price!

PW9 Components Part Number	FITS VEHICLE	AXLE FLANGE OA WIDTH	NOTES
846755	1955-1957 Chevy	57"	Leaf Spring
846759	1959-1964 Chevy	60"	Coil Spring
846767	1967-1969 GM F-Body	60-1/4"	Multi-Leaf
846768A	1968-1972 GM A-Body	61-1/4"	Coil Spring
846768X	1968-1972 GM X-Body	60-1/4"	Multi-Leaf
846770	1970-1981 GM F-Body	61-1/4"	Multi-Leaf
846778	1978-1987 GM G-Body	58"	Coil Spring

NEW PRODUCT

READY TO INSTALL 9-INCH THIRD MEMBERS

PW9 PERFORMANCE 9-INCH COMPONENTS

ETA APR 2024

NEW PRODUCT

- Bolt in ready 9" third members
- Nodular iron 3.062" case
- Big bearing "Daytona" pinion support
- Traction Lock 31 spline posi
- Billet yoke for 1350 u-joint
- Motive Gear™ gears & bearings

PW9 Components Part Number	GEAR RATIO	AXLE SPLINE	POSI STYLE
846835	3.50:1	31-Spline	Traction Lock
846837	3.70:1	31-Spline	Traction Lock
846839	3.89:1	31-Spline	Traction Lock
846841	4.11:1	31-Spline	Traction Lock

GM F-BODY SPRING PERCHES

PW9 PERFORMANCE 9-INCH COMPONENTS

ETA APR 2024

NEW PRODUCT

PW9 Components Part Number	FITS VEHICLE	LEAF SPRING	PKG. QTY.
846201	GM F-Body/X-Body	Mono	2
846202	GM F-Body/X-Body	Multi	2

5 POINT SFI 16.1 LATCH-LINK HARNESS

- Patented light weight latch - weighs 42% less than others!
- SFI 16.1- Always fresh dates!
- Black epoxy adjusters & hardware
- 3" lap & shoulder, 2" submarine belt
- Individual shoulder harnesses
- Pull down style with release straps
- Bolt-in lap, shoulder & submarine
- Racing use only

ETA APR 2024

I.D. Tagged

Black
Epoxy Hardware

NEW PRODUCT

Latch-Link Harness Part Number	STYLE	COLOR
270600	3" 5-Point Latch-Link	Black
270620	3" 5-Point Latch-Link	Red
270660	3" 5-Point Latch-Link	Blue
270690	3" 5-Point Latch-Link	Gray

FORD 9 INCH STORAGE CASES

PW9 PERFORMANCE 9-INCH COMPONENTS

ETA APR 2024

NEW PRODUCT

- Perfect for storage, shipping or at the track!
- Fits all standard case Ford 9" third members
- Heavy duty ABS

PW9 Components Part Number	FITS DIFF	MATERIAL	QTY.
846002	Ford 9"	ABS	1

LS CYLINDER HEAD DOWELS

IN STOCK!

NEW PRODUCT

- A "must have" when replacing your heads
- OE replacement
- 4/pk

LS Dowels Part Number	FITS ENGINES	SIZE	PKG. QTY.
360250	All LS	.640"x.587"	4

LS VALVE COVER COIL BRACKET BOLTS

- Button head stainless steel
- Perfect dress-up replacement for OE bolts
- Fits our 366143/BK & other valve covers
- Includes stainless steel washers

NEW PRODUCT

IN STOCK!

Coil Mount Bolts Part Number	APPLICATION	SET QTY.
366130	*LS2/3/4/7/9*	*16*

LS/LT ROCKER ARM TRUNNION UPGRADE

- A must with higher lift cams and increased spring pressures
- High quality 52100 bearing steel trunnions
- Bronze bushings for ultimate reliability
- Doesn't require installation tool!

NEW PRODUCT

ETA FEB 2024

Trunnion Upgrade Part Number	APPLICATION	SET QTY.
369000	*Gen III/IV LS & Gen V LT Engines*	*16*

30TH ANNIVERSARY CATALOG

- More New Products!
- More Tech!
- 294 pages of Performance!

WATCH FOR IT!
JAN 2024

MORE COMING SOON!

MORE COMING SOON!

POWER.
STARTS.
HERE.

WWW.PERFORMANCE-WORLD.COM