



**PERFORMANCE
WORLD**

10.14.26



**NEW PRODUCT SUPPLEMENT
FOR THE 2026 CATALOG**



NEW PRODUCTS

2026 Catalog Changes, Corrections & Addendums

Page 113 - 65220 will be changing from 2.10" to 2.08" intake valves

Page 135 - 361012G has been discontinued with no replacement

Page 192 - Super-Thick Header & Collector gaskets are discontinued and limited to stock on hand

Page 228 - DBK9TRK brake kit contains 11.50" rotors (not 11" as shown)

FORD 302 8.20 DECK UHP SERIES HD PERFORMANCE ENGINE BLOCKS

- Get a BRAND NEW **BETTER** HP block for
the same or less than machining your
old junkyard block!

- Premium high strength 32B cast iron
- Billet 4-bolt main caps (splayed centers)
- Priority oiling to main bearings
- External front and rear oil feeds
- Thick standard height decks
- Uses all standard parts
- Rated to 1,000HP+

ETA 2026



364302 - SB Ford 302 4.00" Bore

364322 - SB Ford 302 4.125" Bore

CHROMOLY ONE-PIECE PUSHRODS

- .080" wall chromoly
- High quality and value priced
- Available for most popular sizes



IN STOCK!

Chromoly Pushrods			
Part Number	APPLICATION	LENGTH	PKG. QTY.
372640	SB Ford Retro-Fit HR Cam	6.40"	16
372650	Custom	6.50"	16
372715	Custom	7.15"	16
372720	SB Chevrolet OE HR Cam	7.20"	16
372730	SB Chevrolet Retro-Fit HR Cam	7.30"	16
372735	SB Chevrolet - .450"	7.35"	16
372740	Standard Length Gen III LS	7.40"	16
372745	Chevrolet Gen III LS + .050"	7.45"	16
372750	Chevrolet Gen III LS + .100"	7.50"	16
372770	SB Chevrolet - .100"	7.70"	16
372775	SB Chevrolet - .050"	7.75"	16
372780	Standard Length SB Chevrolet	7.80"	16
372785	SB Chevrolet + .050"	7.85"	16
372790	SB Chevrolet + .100"	7.90"	16
372800	SB Chevrolet + .200"	8.00"	16
372810	SB Ford 351W - .050"	8.10"	16
372815	Standard Length SB Ford 351W	8.15"	16

VALVE LOCKS

- High quality
- Standard, or height adjusting
- 32 halves (Set of 16)

IN STOCK!



Valve Locks				
Part Number	STEM SIZE	SPECS	STYLE	MATERIAL
360440	11/32"	7° - .030"	1-Groove	Stamped



POWER STEERING PUMPS

360870BK

- GM "Type II" style (universal for custom applications)
- Includes reservoir
- Compact design
- M16x1.50 inlet, 3/8" male outlet

IN STOCK!



360880BK

- 1200 PSI for use with most standard gearbox systems
- LS truck replacement
- Includes cap



P/S Pump Part Number	STEERING BOX STYLE	SHAFT SIZE	PRESSURE RATING	COLOR
360870BK	Standard Gearbox	.664" Press-Fit	1200PSI	Black
360880BK	Standard Gearbox	.664" Press-Fit	1200PSI	Black

LS ENGINE STAND BOLT KIT

- Bolt your LS to any engine stand!
- Zinc plated flange head
- 4/pk

IN STOCK!



Engine Stand Bolts Part Number	U.H.L.	HEAD STYLE	PKG. QTY.
970H	90mm	Hex	4

LS WATER PUMP SPACER KIT

IN STOCK!

- .700" thick
- Use to space water pump to match 98-02 Camaro (Car) water pump or PW #9047 to truck balancer spacing.
- Includes:
 - (2) Billet spacers (one with 1/8" npt port)
 - (4) OE style aluminum/O-ring gaskets
 - (6) Flange head bolts



Water Pump Spacer Part Number	FITS APPLICATION	THICKNESS	PKG. QTY.
9047S	All LS Chevrolet	.700"	Kit



NEW PRODUCTS

FLOW EFI PRO LS MODULAR CAST ALUMINUM INTAKE MANIFOLDS

**LOW
PROFILE**

- Low profile - 7" height
- Will support 750HP+
- Black coated finish
- Withstands high boost levels
- Use with 92mm or 102mm throttle body
- Accepts LS3 (1.48") fuel injectors
- Bolt together (with o-rings) for easy porting if desired
- Nitrous/methanol port bosses on runners (1/8"npt)
- Includes 8AN fuel rails, fittings, line, intake bolts¹ & intake seals



NOW IN BLACK!

Note: These intakes are designed for use with car water pumps and front drive systems. Interference may occur with some truck systems. Alternator, water outlet etc.



Fuel rail threads = 8AN@RB
Fuel rail crossover = 8AN
Fittings/line also available separately

Flow EFI Intakes		HEIGHT	T/B	
Part Number	FITS	FR / RR	SIZE	FINISH
646331	LS1/LS2/LS6	7"	92mm/102mm	Black
646333	LS3/L92	7"	92mm/102mm	Black

¹Intake bolt size M6x1.0 30mm uhl socket head

²Cast intakes are designed for use with LS3 1.48" injectors

Map Sensor Bung (LSA/LS9 style) at rear of intake.

Use GM#55567257 (2.7 bar) (replaces #12592525) or #12591290 (1 bar)



Tommy's Sick Trans Am Build
with our Pro LS cast intake!

@franksteinspeedcustom

GM POWER STEERING BOX

- New - NOT rebuilt!
- Fits most 1964-1976 GM Cars
- 1,100-1,250 PSI
- 17.5:1 Ratio

IN STOCK!



Steering Box Part Number	INPUT SHAFT	PRESSURE PORT	RETURN PORT	MATERIAL
845800	13/16"-36	5/8"-18 IF	11/16"-18 IF	Cast Iron



FLOW EFI PRORAM LS CAST ALUMINUM INTAKE MANIFOLDS

- Short profile - 9" height
- Tall profile - 12.25" height
- Power through 8,000RPM
- Natural cast or black coated finish
- Withstands high boost levels
- Use with 92mm or 102mm throttle body
- Accepts LS3 (1.48") fuel injectors
- Bolt together for easy porting if desired
- Includes 8AN fuel rails, fittings, line, intake bolts¹ & intake seals

ETA OCT 2026



SHORT AND TALL PROFILES



Flow EFI Intakes Part Number	FITS	MAX HEIGHT FRONT	T/B SIZE	FINISH
646421	LS1/LS2/LS6	9"	92mm/102mm	Satin
646423	LS3/L92	9"	92mm/102mm	Satin
646431	LS1/LS2/LS6	9"	92mm/102mm	Black
646433	LS3/L92	9"	92mm/102mm	Black
646521	LS1/LS2/LS6	12.25"	92mm/102mm	Satin
646523	LS3/L92	12.25"	92mm/102mm	Satin
646531	LS1/LS2/LS6	12.25"	92mm/102mm	Black
646533	LS3/L92	12.25"	92mm/102mm	Black

IN STOCK!
OCT 2026
OCT 2026
OCT 2026
OCT 2026
OCT 2026
OCT 2026
OCT 2026

INSULATING CARBURETOR SPACERS

- Phenolic plastic
- Keep carburetor cooler and increase power!
- Includes gaskets and studs

IN STOCK!



Carburetor Spacer Part Number	FITS CARBURETOR	HEIGHT/ STYLE
9136	Holley®, Edelbrock®	1" Open
9139	Holley®, Edelbrock®	1/2" Open

Edelbrock® is a registered trademark of Edelbrock LLC.
Holley® is a registered trademark of Holley Performance Products.

MORE COMING SOON!



NEW PRODUCTS

AD230 150A HIGH AMP ALTERNATORS

- High quality - NEW - NOT REBUILT!
- Satin, chrome or black finish
- Compact design for LS swaps
- 1 or 4-wire OE hookup

(NOTE: If using as a 1-wire application you MUST use a harness with a resistor on the "L" terminal such as the Holley #197-400

IN STOCK!

PLEASE READ THIS! The function of an alternator is to **MAINTAIN** the battery, **NOT** recharge a dead or weak battery! A defective or discharged battery will damage your new alternator and **VOID YOUR WARRANTY!** PLEASE TEST AND CHARGE YOUR BATTERY **BEFORE** INSTALLING YOUR NEW ALTERNATOR!

High Amp Alternator Part Number	STYLE	AMP OUTPUT	FINISH
360595	GM AD230	150 Amp	Satin
360695	GM AD230	150 Amp	Chrome
360795	GM AD230	150 Amp	Black

(NOTE: If using in a 1-wire application you MUST use a harness with a resistor on the "L" terminal such as the Holley #197-400

**TECH INFO
ON WEBSITE**

Always ensure your battery is **FULLY CHARGED** AND **DISCONNECTED** **BEFORE** installing your new alternator!



CHEVROLET 3.90 BORE PRO660 "CATHEDRAL" ASSEMBLED ALUMINUM CYLINDER HEADS

- Cathedral port design
- For Gen III LS1/LS2/LS6 3.90" bore
- Will fit LSX 6 bolt blocks
- 11 degree valve angle for improved flow
- .750" thick deck
- Raised valve cover rails for additional clearance
- Must use LS3 rocker arms
- Special billet rocker stands included
- Manufactured from A356-T6 heat treated aluminum
- Multi-angle intake and exhaust valve grind
- Hydraulic roller cams up to .660" lift
- All tech, specs & parts at www.performance-world.com

PW HEADS™

IN STOCK!

Assembled with:

- * PW 21-4N Stainless Steel Valves #360043/360048
- * PW PRO660 LS Dual Valve Springs
- * PW Moly Valve Spring Locators
- * PW Moly Retainers
- * PW HD Valve Locks
- * PW Viton Valve Seals

PW

PROVEN.
DYNO. STREET. TRACK.

**MORE TECH
ON WEBSITE**

Note: Assembly components subject to change without notice.

Heads Assembled Part Number	FITS ENGINE	COMB CC	INTAKE CC	EXHAUST CC	VALVE SIZES	ROCKER MOUNT
69225A-2	Chevrolet LS1/2/6	62cc	252cc	101cc	2.08/1.60	NOTE



Special Billet Rocker
Stands Included.
Not for use with aftermarket
guide plate systems.



CHEVROLET LS3 PRO660 RECTANGLE PORT ASSEMBLED ALUMINUM CYLINDER HEADS

- LS3 Rectangle port design
- For Gen IV LS3 4.00" + bore
- Will fit LSX 6 bolt blocks
- OE 15 degree valve angle
- .625" thick deck
- Uses standard length LS3 8mm valves
- Requires LS3 rocker arms¹
- Requires OE rocker stands (GM #12600936)
- Manufactured from A356-T6 heat treated aluminum
- Multi-angle intake and exhaust valve grind
- Dual Valve Springs
- Hydraulic roller cams up to .650" lift
- All tech, specs & parts at www.performance-world.com

PW HEADS
IN STOCK!



Specs:

Intake Port: 2.60" x 1.285"
Exhaust Port: 1.47" x 1.64"
Spark Plug Config.: OE
Valve guide OD: .560"/.500"
Valve Spring Pocket: 1.30"
Rocker Style: OE LS3 Style

Assembled with:
* PW 21-4N Stainless Steel Valves #360049/360050
* PW PRO660LS Dual Valve Springs
* Top Hat Style Valve Spring Locator/Seal
* PW Moly Retainers
* Comp Cams Valve Locks

Note: Assembly components subject to change without notice.

Heads Assembled	FITS	COMB	INTAKE	EXHAUST	VALVE	ROCKER
Part Number	ENGINE	CC	CC	CC	SIZES	MOUNT
68276A-2	Chevrolet LS3	69cc	273cc	90cc	2.165/1.59	OE

NOTE: THREAD SEALANT MUST BE USED ON ROCKER RAIL BOLTS AS THEY INTERSECT THE INTAKE PORTS

PROVEN.
DYNO. STREET. TRACK.

LS BLOCK DRILL TEMPLATE

Need to drill and tap the boss on your LS block on the lower driver side?
Use this bolt-on template to drill a pilot hole when required for accessory brackets or low mount alternators etc. Open the pilot hole to 8.5mm (.3346") and tap to M10x1.50.

- Precision laser cut from .125" mild steel

IN STOCK!



Drill Template	FITS
Part Number	APPLICATION
THICKNESS	
785200	All LS Chevrolet
	.125"

PRESSURE TRANSDUCERS

Accuracy: $\pm 1.0\%$ FS
Output signal: 0.5-4.5V,
Working temperature:- 40-105°
Working current: $\leq 3\text{mA}$
Response time: $\leq 3\text{ms}$
Cycle life: 500,000 cycles
Includes pigtail

IN STOCK!



Pressure Transducer			PKG.
Part Number	RANGE	THREADS	QTY.
645310	0-100psi	1/8"npt	0-4.5V
645320	0-200psi	1/8"npt	0-4.5V
645330	0-300psi	1/8"npt	0-4.5V





NEW PRODUCTS

649700 IN-TANK HANGER CAP WRENCH

- Allows for easy removal of 649700 fuel cell caps
- 3D printed from PETG plastic
- Provision for 3/8" socket wrench
- Won't damage anodized finish

IN STOCK!



649700 Wrench

Part Number	FITS	MATERIAL
649700W	PW In-Tank Hangers	PETG


VALVE SPRING LOCATORS

- Hardened
- Use with aluminum heads
- Same as used on many assembled PW Heads



Locators	LOCATOR	LOCATOR	SPRING		PKG.
Part Number	O.D.	I.D.	I.D.	THICKNESS	QTY.
360115	1.55"	.570"	.787"	.060"	16

VALVE SPRING RETAINERS



- Chromoly
- Same as used on many assembled PW Heads



Retainers	SPRING OD				KEEPER	PKG.
Part Number	O.D.	A	B	C	x VALVE	QTY.
360125	1.25"	1.237"	.861"	.668"	7° x 11/32"	16
360144	1.437"/1.50"	1.433"	1.044"	.698"	10° x All	16
360150	1.50"/1.55"	1.487"	1.107"	.688"	10° x All	16

IN STOCK!

6 POINT SFI 16.1 CAMLOCK HARNESS

- SFI 16.1- Always fresh dates!
- Black nickel camlock tabs
- Black epoxy adjusters & hardware
- 3" lap & shoulder, 2" dual submarine belt
- Individual shoulder harnesses
- 45° patented quick release
- Pull down style with release straps
- Bolt-in lap, shoulder & submarine

IN STOCK!



Got a 5-point already?

Get the 270060 dual sub belt conversion!

Camlock Harness

Part Number	STYLE	COLOR
270700	6-Point Camlock Complete	Black
270060	2" Dual Sub Belt Conversion	Black



BLACK AIR CONDITIONING COMPRESSORS

- High quality - NEW - NOT REBUILT!
- Black coated
- R134 compatible
- Pre-oiled with PAG100 oil



8004BK



8005BK

A/C Compressor			
Part Number	STYLE	MODEL	DRIVE
8004BK	Sanden	4514/508	6 Groove
8005BK	Sanden	SD-7	6 Groove

ETA JAN 2027

SNELL SA2025 APPROVED HELMETS

- EDGE™ - Full Face Carbon Fibre Helmets are BACK!
- HANS device ready
- Vented for comfort
- Fire retardant padded inner
- Tear-off posts (12-3/8" spacing)
- Kevlar chin strap

ETA FEB 2027



All helmets include a soft protective drawstring bag

We only provide certified Snell Approved Helmets.
<http://www.smf.org>



Sizing Chart

Medium

Circ. 22-7/16" to 22-7/8"
Hat Size 7-1/8 to 7-1/4

Large

Circ. 23-1/4" to 23-5/8"
Hat Size 7-3/8 to 7-1/2

XLarge

Circ. 24" to 24-7/16"
Hat Size 7-5/8 to 7-3/4

Snell SA2020 Helmets			
Part Number	STYLE	SIZE	COLOR
950132-2	Edge™ Full Face	Medium	Carbon Fibre
950133-2	Edge™ Full Face	Large	Carbon Fibre
950134-2	Edge™ Full Face	XLarge	Carbon Fibre

LS FRONT ACCESSORY BRACKETS
MORE COMING SOON!

**POWER.
STARTS.
HERE.**

WWW.PERFORMANCE-WORLD.COM